



## Candle 30 Bodies

Benedito Design

Pendant Candle 30 Bodies LED 109.4 LED warm-white 2700K DALI White 4608lm

### Technical features

- Luminaire total power: 109.4W
- Real lumens: 4608
- Real lm/W: 42
- Correlated Colour Temperature (CCT): LED warm-white 2700K
- Structure material: Steel, Aluminium
- Structure finish: White
- Diffuser material: Methacrylate
- Driver Brand: MEANWELL
- Voltage / frequency: 100-277V/50-60Hz
- Dimming protocol: DALI
- Power Factor: 0.90
- THD%: 20
- Useful life: 50,000h L80B20
- Warranty: 5 años



### Luminotechnic features

- CRI: 90
- MacAdam steps: 2
- Photobiological risk: RG1

Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
LED	1	98.8W	LED warm-white 2700K





Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



## Candle 30 Bodies

Benedito Design

Pendant Candle 30 Bodies LED 109.4 LED warm-white 2700K DALI White 4608lm

### Logistics



x 1

Net weight (kg): 13.9

Packaged weight (kg): 15.63

Packaging: 630mm x 630mm x  
315mm

### Light application




Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.




## Candle 30 Bodies

Benedito Design

Pendant Candle 30 Bodies LED 109.4 LED warm-white 2700K DALI White 4608lm


### Optional accessories



71-8318-F9-F9

Candle tinted glass diffuser accessory

Structure material: Glass  
Dimensions: 100 x NA x NA  
Net weight (kg): 0.16



71-6022-27-27

Structure material: Steel  
Dimensions: 150 x NA x 2  
Net weight (kg): 0.27

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.