



Moal

Francesc Vilaró

Wall fixture IP66 Moal LED 11.1 LED warm-white 3000K ON-OFF Cement 312lm

Technical features

- Luminaire total power: 11.1W
- Real lumens: 312
- Real lm/W: 28
- Correlated Colour Temperature (CCT): LED warm-white 3000K
- Lens / reflector angle: HORIZONTAL 105°
- Structure material: Concrete, Aluminium
- Structure finish: Cement
- Diffuser material: Methacrylate
- Diffuser finish: Sandblasted
- Voltage / frequency: 100-240V/50-60Hz
- Dimming protocol: ON-OFF
- Power Factor: 0.90
- Useful life: 50,000h L80B20
- Warranty: 5 years
- Resistant to marine environments: Yes



Luminotechnic features

- CRI: 90
- MacAdam steps: 3
- Photobiological risk: RGO
- UGR crosswise: 28.4
- UGR lengthwise: 28.4

Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
LED	1	8.2W	LED warm-white 3000K





Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



Moal

Francesc Vilaró

Wall fixture IP66 Moal LED 11.1 LED warm-white 3000K ON-OFF Cement 312lm

Logistics



x 6

Net weight (kg): 1.36

Packaged weight (kg): 1.98

Packaging: 260mm x 255mm x
150mm

Light application



Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



Moal

Francesc Vilaró

Wall fixture IP66 Moal LED 11.1 LED warm-white 3000K ON-OFF Cement 312lm

Accessories included



Luminaire connector bracket

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.